

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	95	optional fields packet header identify\$3 (call OR message OR type)	US_PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/11/12 17:18
L7	10	optional fields packet header identify\$3 (call OR message OR type) server	US_PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/11/12 17:40
L8	362	RAS NEAR2 message	US_PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 17:40
L9	1	S46 SAME CID	US_PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 17:42
L10	1	S47 AND option	US_PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 17:43
L11	1	S48 AND ("H.323" OR h323)	US_PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 17:44
S1	9	(H323 OR "H.323") SAME (GK OR gatekeeper) SAME (load NEAR2 balanc\$3)	US_PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 17:02
S2	15	(H323 OR "H.323") AND ((GK OR gatekeeper) WITH ((load NEAR2 balanc\$3) OR dispatch\$3))	US_PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:14
S3	23	(H323 OR "H.323") AND ((GK OR gate\$1keeper) WITH ((load NEAR2 balanc\$3) OR dispatch\$3))	US_PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 15:06
S4	1984196 8	@ad<"20001031"	US_PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 17:05

S5	8	S3 AND S4	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 16:01
S6	213	conference NEAR2 identifier	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:20
S7	1	(H323 OR "H.323") AND ((GK OR gatekeeper) SAME ((load NEAR2 balanc\$3) OR dispach\$3)) AND S6	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:48
S8	5595	(conference OR call OR session) NEAR2 identifier	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:36
S9	5	(H323 OR "H.323") AND ((GK OR gatekeeper) SAME ((load NEAR2 balanc\$3) OR dispach\$3)) AND S8	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 18:55
S10	12718	((709/204,227,228,238) or (370/230,260,261,352)).CCLS	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 19:36
S11	44	((conference OR call OR session) NEAR2 identifier) SAME (H323 OR "H.323")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:37
S12	26	S11 AND S10	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:37
S13	1	(H323 OR "H.323") AND ((GK OR gatekeeper) AND ((load NEAR2 balanc\$3) OR dispach\$3)) AND S12	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:39
S14	21	(H323 OR "H.323") AND ((GK OR gatekeeper) AND ((load NEAR2 balanc\$3) OR dispach\$3)) AND S8	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:39
S15	12	S14 AND @ad<"20001031"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:40

S16	38	((GK OR gatekeeper) WITH ((load NEAR2 balanc\$3) OR dispach\$3))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:44
S18	4	directing call "same" server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/11/09 19:47
S19	189	(directing OR forward\$3) (call OR message) "same" server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/11/09 19:48
S20	1	(H323 OR "H.323") AND (GK OR gatekeeper) AND S19	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:49
S21	7	(H323 OR "H.323") AND S19	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:49
S23	73	(session NEAR2 identifier) WITH (direct\$3 OR dispach\$3 OR assign\$3) WITH (message OR call)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:28
S24	42	((session NEAR2 identifier) WITH (direct\$3 OR dispach\$3 OR assign\$3) WITH (message OR call)) SAME (server OR process\$3 OR gatekeeper)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:21
S25	4	S24 AND (H323 OR "H.323")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:23
S26	6	S24 AND (H323 OR "H.323" OR SIP)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:23
S27	6	S24 AND @ad<"20001031"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:26
S28	9	S23 AND @ad<"20001031"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:26

S29	2	("6738383").PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 13:32
S30	21697	load NEAR balanc\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 13:38
S31	19	S30 SAME (session NEAR2 identify\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 13:46
S32	7	S31 AND @ad<"20001031"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 13:49
S34	10	((session NEAR2 identify\$3) WITH "same" WITH server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 13:48
S35	136	((session NEAR2 (identify\$3 OR ID:OR number)) WITH "same" WITH server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 13:49
S36	27	S30 AND S35	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 13:49
S37	4	S36 AND @ad<"20001031"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 14:06
S38	2	("5,774,660").PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:06